

1. Goodpaster, B. H., & Sparks, L. M. (2017). Metabolic flexibility in health and disease. *Cell metabolism*, 25(5), 1027-1036.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Metabolic-Flexibility-in-Health-Disease.pdf>
2. Smith, R. L., Soeters, M. R., Wüst, R. C., & Houtkooper, R. H. (2018). Metabolic flexibility as an adaptation to energy resources and requirements in health and disease. *Endocrine reviews*, 39(4), 489-517  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Metabolic-Flexibility-as-an-Adaptation-to-Energy-Resources-and-Requirements-in-Health-and-Disease.pdf>
3. Hawley, J. A., Hargreaves, M., Joyner, M. J., & Zierath, J. R. (2014). Integrative biology of exercise. *Cell*, 159(4), 738-749.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Integrative-Biology-of-Exercise.pdf>
4. Poole, D. C., & Erickson, H. H. (2011). Highly athletic terrestrial mammals: horses and dogs. *Comprehensive Physiology*, 1(1), 1-37.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Highly-Athletic-Terrestrial-Mammals.pdf>
5. Poole, D. C., Burnley, M., Vanhatalo, A., Rossiter, H. B., & Jones, A. M. (2016). Critical power: an important fatigue threshold in exercise physiology. *Medicine and science in sports and exercise*, 48(11), 2320.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Critical-Power-An-Important-Fatigue-Threshold-in-Exercise-Physiology.pdf>
6. Jones, A. M., Burnley, M., Black, M. I., Poole, D. C., & Vanhatalo, A. (2019). The maximal metabolic steady state: redefining the 'gold standard'. *Physiological reports*, 7(10), e14098.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/The-maximal-metabolic-steady-state.pdf>
7. Poole, D. C., & Jones, A. M. (2011). Oxygen uptake kinetics. *Comprehensive Physiology*, 2(2), 933-996.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Oxygen-Uptake-Kinetics.pdf>
8. Schoenmakers, P. P., Hettinga, F. J., & Reed, K. E. (2019). The Moderating Role of Recovery Durations in High-Intensity Interval-Training Protocols. *International journal of sports physiology and performance*, 14(6), 859-867.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Recovery-and-HIIT.pdf>
9. Brooks, G. A., & Mercier, J. (1994). Balance of carbohydrate and lipid utilization during exercise: the "crossover" concept. *Journal of applied physiology*, 76(6), 2253-2261.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Balance-of-CHO-and-Fat-oxidation-in-exercise.pdf>
10. De Feo, P., Di Loreto, C., Lucidi, P., Murdolo, G., Parlanti, N., De Cicco, A., & Santeusano, F. P. F. (2003). Metabolic response to exercise. *Journal of endocrinological investigation*, 26(9), 851-854.
11. Moghetti, P., Bacchi, E., Brangani, C., Donà, S., & Negri, C. (2016). Metabolic effects of exercise. In *Sports Endocrinology* (Vol. 47, pp. 44-57). Karger Publishers.
12. Jeukendrup, A. E. (2003). Modulation of carbohydrate and fat utilization by diet, exercise and environment. *Biochemical Society Transactions*, 31(6), 1270-1273.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Modulation-of-Carbs-and-Fat-during-diet-exercise.pdf>
13. Billat, V. L., Sirvent, P., Py, G., Koralsztejn, J. P., & Mercier, J. (2003). The concept of maximal lactate steady state. *Sports medicine*, 33(6), 407-426.  
[http://instituteofmotion.com/wp-content/uploads/2021/01/The\\_concept\\_of\\_maximal\\_lactate\\_steady\\_state.pdf](http://instituteofmotion.com/wp-content/uploads/2021/01/The_concept_of_maximal_lactate_steady_state.pdf)

14. Rivera-Brown, A. M., & Frontera, W. R. (2012). Principles of exercise physiology: responses to acute exercise and long-term adaptations to training. *Pm&r*, 4(11), 797-804.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Principles-Exercise-Phys.pdf>
15. Bertuzzi, R., Nascimento, E. M., Urso, R. P., Damasceno, M., & Lima-Silva, A. E. (2013). Energy system contributions during incremental exercise test. *Journal of sports science & medicine*, 12(3), 454.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Energy-System-Contributions.pdf>
16. Morrison, S., & Ward, P. (2017). Energy system development and load management through the rehabilitation and return to play process. *International journal of sports physical therapy*, 12(4), 697.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/ENERGY-SYSTEM-DEVELOPMENT-AND-LOAD-MANAGEMENT.pdf>
17. Maunder, E., Plews, D. J., & Kilding, A. E. (2018). Contextualising maximal fat oxidation during exercise: determinants and normative values. *Frontiers in physiology*, 9, 599.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Contextualising-Maximal-Fat-Oxidation-During-Exercise-Determinants-and-Normative-Values.pdf>
18. Lepretre, P. M., Foster, C., Koralsztein, J. P., & Billat, V. L. (2005). Heart rate deflection point as a strategy to defend stroke volume during incremental exercise. *Journal of applied physiology*, 98(5), 1660-1665.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Heart-rate-deflection-point-as-a-strategy-to-defend-stroke-volume-during-incremental-exercise.pdf>
19. Laursen, P. B. (2010). Training for intense exercise performance: high-intensity or high-volume training?. *Scandinavian journal of medicine & science in sports*, 20, 1-10.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Training-for-intense-exercise-performance-high-intensity-high-volume.pdf>
20. Piras, A., Persiani, M., Damiani, N., Perazzolo, M., & Raffi, M. (2015). Peripheral heart action (PHA) training as a valid substitute to high intensity interval training to improve resting cardiovascular changes and autonomic adaptation. *European Journal of Applied Physiology*, 115(4), 763-773.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Peripheral-Heart-Action-Training.pdf>
21. Lombardi, G. (1997). Peripheral Heart Action Training. *Strength & Conditioning Journal*, 19(3), 19-20.
22. Lagally, K. M., Cordero, J., Good, J., Brown, D. D., & McCaw, S. T. (2009). Physiologic and metabolic responses to a continuous functional resistance exercise workout. *The Journal of Strength & Conditioning Research*, 23(2), 373-379.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Physiologic-and-Metabolic-Responses-to-a-Continuous-Functional-Resistance-Exercise-Workout.pdf>
23. Granata, C., Jamnick, N. A., & Bishop, D. J. (2018). Training-induced changes in mitochondrial content and respiratory function in human skeletal muscle. *Sports Medicine*, 48(8), 1809-1828.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Mitochondria-Exercise.pdf>
24. Vandenbrink, D. N., Petrella, N. J., Neufeld, E. V., Dolezal, B. A., & MacLennan, D. P. (2018). Metabolic responses to a loaded movement training workout. *The Journal of sports medicine and physical fitness*, 58(1-2), 35-42.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/metabolic-responses-loaded-movement-training.pdf>
25. Wilmore, J. H., & Knuttgen, H. G. (2003). Aerobic exercise and endurance: improving fitness for health benefits. *The Physician and sportsmedicine*, 31(5), 45-51.

26. Foster, C., Farland, C. V., Guidotti, F., Harbin, M., Roberts, B., Schuette, J., ... & Porcari, J. P. (2015). The effects of high intensity interval training vs steady state training on aerobic and anaerobic capacity. *Journal of sports science & medicine*, 14(4), 747.
27. Ferretti, G., Fagoni, N., Taboni, A., Bruseghini, P., & Vinetti, G. (2017). The physiology of submaximal exercise: the steady state concept. *Respiratory Physiology & Neurobiology*, 246, 76-85.
28. Gentil, P., & Del Vecchio, F. B. (2017). Commentary: High-intensity intermittent training vs. moderate-intensity intermittent training: Is it a matter of intensity or intermittent efforts?. *Frontiers in physiology*, 8, 370.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HiIT-vs-MiIT-Commentary.pdf>
29. Alkahtani, S. (2014). Comparing fat oxidation in an exercise test with moderate-intensity interval training. *Journal of sports science & medicine*, 13(1), 51.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Comparing-Fat-Oxidation-in-an-Exercise-Test-with-Moderate-Intensity-Interval-Training.pdf>
30. Alkahtani, S. A., King, N. A., Hills, A. P., & Byrne, N. M. (2013). Effect of interval training intensity on fat oxidation, blood lactate and the rate of perceived exertion in obese men. *Springerplus*, 2(1), 1-10.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Effect-of-interval-training-intensity-on-fat-oxidation-blood-lactate-and-the-rate-of-perceived-exertion-in-obese-men.pdf>
31. Kai, S., Nagino, K., Ito, T., Oi, R., Nishimura, K., Morita, S., & Yaoi, R. (2016). Effectiveness of moderate intensity interval training as an index of autonomic nervous activity. *Rehabilitation research and practice*, 2016.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Effectiveness-of-Moderate-Intensity-Interval-Training-as-an-Index-of-Autonomic-Nervous-Activity.pdf>
32. Racil, G., Ounis, O. B., Hammouda, O., Kallel, A., Zouhal, H., Chamari, K., & Amri, M. (2013). Effects of high vs. moderate exercise intensity during interval training on lipids and adiponectin levels in obese young females. *European journal of applied physiology*, 113(10), 2531-2540.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HiIT-MiIT-Obese-Women.pdf>
33. Coswig, V. S., Barbalho, M., Raiol, R., Del Vecchio, F. B., Ramirez-Campillo, R., & Gentil, P. (2020). Effects of high vs moderate-intensity intermittent training on functionality, resting heart rate and blood pressure of elderly women. *Journal of translational medicine*, 18(1), 1-11.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HiIT-MiIT-Elderly-Women.pdf>
34. Jiménez-Pavón, D., & Lavie, C. J. (2017). High-intensity intermittent training versus moderate-intensity intermittent training: is it a matter of intensity or intermittent efforts?.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HiIT-vs-MiIT-2.pdf>
35. Haykowsky, M. J., Timmons, M. P., Kruger, C., McNeely, M., Taylor, D. A., & Clark, A. M. (2013). Meta-analysis of aerobic interval training on exercise capacity and systolic function in patients with heart failure and reduced ejection fractions. *The American journal of cardiology*, 111(10), 1466-1469.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Meta-analysis-of-aerobic-interval-training.pdf>
36. Zoladz, J. A., Majerczak, J., Zeligowska, E., Mencil, J., Jaskolski, A., Jaskolska, A., & Marusiak, J. (2014). Moderate-intensity interval training increases serum brain-derived neurotrophic factor level and decreases inflammation in Parkinson's disease patients. *J Physiol Pharmacol*, 65(3), 441-448.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/MiIT-and-BDNF-Parkinsons.pdf>
37. Koubaa, A., Triki, M., Trabelsi, H., Baati, H., Sahnoun, Z., & Hakim, A. (2015). The effect of a 12-week moderate intensity interval training program on the antioxidant defense capability and

- lipid profile in men smoking cigarettes or hookah: a cohort study. *The Scientific World Journal*, 2015. <http://instituteofmotion.com/wp-content/uploads/2021/01/MIIT-and-Smoking.pdf>
38. Lamina, S., & Okoye, G. C. (2012). Therapeutic effect of a moderate intensity interval training program on the lipid profile in men with hypertension: a randomized controlled trial. *Nigerian Journal of Clinical Practice*, 15(1).  
<http://instituteofmotion.com/wp-content/uploads/2021/01/MIIT-Hypertension.pdf>
39. MacInnis, M. J., & Gibala, M. J. (2017). Physiological adaptations to interval training and the role of exercise intensity. *The Journal of physiology*, 595(9), 2915-2930.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Physiological-adaptations-to-interval-training-and.pdf>
40. Astorino, T. A., Edmunds, R. M., Clark, A., Gallant, R., King, L., Ordille, G. M., ... & Bandong, J. (2017). Change in maximal fat oxidation in response to different regimes of periodized high-intensity interval training (HIIT). *European journal of applied physiology*, 117(4), 745-755.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Fat-Oxidation-HIIT.pdf>
41. Lira, F. S., Panissa, V. L., Julio, U. F., & Franchini, E. (2015). Differences in metabolic and inflammatory responses in lower and upper body high-intensity intermittent exercise. *European Journal of Applied Physiology*, 115(7), 1467-1474.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HIIT-Inflammation.pdf>
42. Stamatakis, E., Johnson, N. A., Powell, L., Hamer, M., Rangul, V., & Holtermann, A. (2019). Short and sporadic bouts in the 2018 US physical activity guidelines: is high-intensity incidental physical activity the new HIIT?. *BMJ* <http://instituteofmotion.com/wp-content/uploads/2021/01/HIIPA.pdf>
43. Buchheit, M., & Laursen, P. B. (2013). High-intensity interval training, solutions to the programming puzzle. *Sports medicine*, 43(10), 927-954.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HIIT-Programming.pdf>
44. Tornero-Aguilera, J. G., & Clemente-Suárez, V. J. (2019). Resisted and endurance high intensity interval training for combat preparedness. *Aerospace medicine and human performance*, 90(1), 32-36.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Resisted-and-Endurance-HIIT-Combat.pdf>
45. Thibault, G. (2003). A graphical model for interval training. *NEW STUDIES IN ATHLETICS*, 18(3), 49-56. [http://instituteofmotion.com/wp-content/uploads/2021/01/teach\\_interval\\_model.pdf](http://instituteofmotion.com/wp-content/uploads/2021/01/teach_interval_model.pdf)
46. Tibana, R. A., De Sousa, N. M. F., Cunha, G. V., Prestes, J., Fett, C., Gabbett, T. J., & Voltarelli, F. A. (2018). Validity of session rating perceived exertion method for quantifying interval training load during high-intensity functional training. *Sports*, 6(3), 68.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/RPE-and-HIIFT.pdf>
47. Mangine, G. T., Van Dusseldorp, T. A., Feito, Y., Holmes, A. J., Serafini, P. R., Box, A. G., & Gonzalez, A. M. (2018). Testosterone and cortisol responses to five high-intensity functional training competition workouts in recreationally active adults. *Sports*, 6(3), 62.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Testosterone-Cortisol-High-Intensity.pdf>
48. Sun, S., Zhang, H., Kong, Z., Shi, Q., Tong, T. K., & Nie, J. (2019). Twelve weeks of low volume sprint interval training improves cardio-metabolic health outcomes in overweight females. *Journal of sports sciences*, 37(11), 1257-1264.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Low-Volume-Sprint-Intervals-for-Health.pdf>
49. Billat, L. V. (2001). Interval training for performance: a scientific and empirical practice. *Sports medicine*, 31(1), 13-31.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Interval-Training-for-Performance.pdf>

50. Kliszczewicz, B., John, Q. C., Daniel, B. L., Gretchen, O. D., Michael, E. R., & Kyle, T. J. (2015). Acute exercise and oxidative stress: CrossFit™ vs. treadmill bout. *Journal of human kinetics*, 47(1), 81-90.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Acute-Exercise-and-Oxidative-Stress-CrossFit-vs-Treadmill-Bout.pdf>
51. Falk Neto, J. H., & Kennedy, M. D. (2019). The multimodal nature of high-intensity functional training: potential applications to improve sport performance. *Sports*, 7(2), 33.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/The-Multimodal-Nature-of-High-Intensity-Functional-Training-Potential-Applications-to-Improve-Sport-Performance.pdf>
52. Kliszczewicz, B., Williamson, C., Bechke, E., McKenzie, M., & Hoffstetter, W. (2018). Autonomic response to a short and long bout of high-intensity functional training. *Journal of sports sciences*, 36(16), 1872-1879.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Autonomic-response-to-a-short-and-long-bout-of-high-intensity-functional-training.pdf>
53. Maté-Muñoz, J. L., Lougedo, J. H., Barba, M., Cañuelo-Márquez, A. M., Guodemar-Pérez, J., García-Fernández, P., ... & Garnacho-Castaño, M. V. (2018). Cardiometabolic and muscular fatigue responses to different crossfit® workouts. *Journal of sports science & medicine*, 17(4), 668.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Cardiometabolic-and-Muscular-Fatigue-Responses-to-Different-CrossFit-Workouts.pdf>
54. Kliszczewicz, B., Snarr, R. L., & Esco, M. (2014). Metabolic and cardiovascular response to the crossfit workout “Cindy”: a pilot study. *J Sport Human Perf*, 2(2), 1-9.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Metabolic-and-Cardiovascular-response-to-the-CrossFit-workout-Cindy.pdf>
55. Lagally, K. M., Cordero, J., Good, J., Brown, D. D., & McCaw, S. T. (2009). Physiologic and metabolic responses to a continuous functional resistance exercise workout. *The Journal of Strength & Conditioning Research*, 23(2), 373-379.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/PHYSIOLOGIC-AND-METABOLIC-RESPONSES-HISS.pdf>
56. Brisebois, M. F., Rigby, B. R., & Nichols, D. L. (2018). Physiological and fitness adaptations after eight weeks of high-intensity functional training in physically inactive adults. *Sports*, 6(4), 146.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Physiologic-adaptations-untrained-HISS.pdf>
57. Kliszczewicz, B., McKenzie, M., & Nickerson, B. (2019). Physiological adaptation following four-weeks of high-intensity functional training. *Vojnosanitetski pregled*, 76(3), 272-277.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/Physiological-adaptations-following-a-four-week-of-high-intensity-functional-training.pdf>
58. Tibana, R. A., de Almeida, L. M., Frade de Sousa, N. M., Nascimento, D. D. C., Neto, I. V., de Almeida, J. A., ... & Prestes, J. (2018). Corrigendum: Two Consecutive Days of Extreme Conditioning Program Training Affects Pro and Anti-inflammatory Cytokines and Osteoprotegerin without Impairments in Muscle Power. *Frontiers in physiology*, 9, 771.  
<http://instituteofmotion.com/wp-content/uploads/2021/01/HISS-Inflammation-Muscle-Power.pdf>
59. Bacon, A. P., Carter, R. E., Ogle, E. A., & Joyner, M. J. (2013). VO<sub>2</sub> max trainability and high intensity interval training in humans: a meta-analysis. *PloS one*, 8(9), e73182.
60. Ghasemian, A., Usefpour, M., Rahmani, A., & Iddehloei, Z. (2020). Comparing the Effect of Two Methods of High-Intensity Interval Training (HIIT) and High-Intensity Continuous Training (HICT) on Damage and Antioxidant Indices of Liver in Male Wistar Rats. *Journal of Archives in Military Medicine*, 8(1).

61. Paoli, A., Pacelli, Q. F., Moro, T., Marcolin, G., Neri, M., Battaglia, G., ... & Bianco, A. (2013). Effects of high-intensity circuit training, low-intensity circuit training and endurance training on blood pressure and lipoproteins in middle-aged overweight men. *Lipids in health and disease*, 12(1), 131.
62. Miller, M. B., Pearcey, G. E., Cahill, F., McCarthy, H., Stratton, S. B., Nofall, J. C., ... & Button, D. C. (2014). The effect of a short-term high-intensity circuit training program on work capacity, body composition, and blood profiles in sedentary obese men: a pilot study. *BioMed research international*, 2014.
63. Gmiat, A., Micielska, K., Kozłowska, M., Flis, D. J., Smaruj, M., Kujach, S., ... & Ziemann, E. (2017). The impact of a single bout of high intensity circuit training on myokines' concentrations and cognitive functions in women of different age. *Physiology & behavior*, 179, 290-297.
64. CLAYTON, B. C., Tinius, R. A., Winchester, L. J., Menke, B. R., Reece, M. C., & MAPLES, J. M. (2019). Physiological and perceptual responses to high-intensity circuit training using body weight as resistance: Are there sex-specific differences?. *International journal of exercise science*, 12(4), 245.
65. Burr, J. F., Beck, J. L., & Durocher, J. J. (2019). The relationship of high-intensity cross-training with arterial stiffness. *Journal of sport and health science*, 8(4), 370-375.